

23 LED Drivers > The TRIAC Dimmable Constant Current

89016UT



Constant current dimmable LED driver for 200/250/300/350mA LED spots / LED fittings.

Complies with standard EN61347-1 and any other specific standards.



Downloads



Dimensions




Physical Specification

Item Group	23 LED Drivers
Family	The TRIAC Dimmable Constant Current
Order Code	89016UT
Material	Plastic
Shape	Rectangular
Length	97mm
Width	46mm
Height	31mm
Indoor	Yes

Electrical Characteristics

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	Refer to Table
Power Factor	0,9
Constant Current	Yes
200mA	25-40V
250mA	25-40V
300mA	25-40V
350mA	25-40V
IP Rating	IP20
Safety Class	
Dimmable	Yes
Dimmer type	Triac
Ambient Temp	50°C
Operating Temp	90°C
Housing Material	Plastic
Output Terminal	Cable
Brand	Lifud

Packing Info

Box Weight	0,09Kg
Pcs/Carton	90
Barcode	5291889068754
HS Code	8504408290

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

