

23 LED Drivers>The TRIAC Dimmable Constant Current

## 89030UT



Constant current dimmable LED driver for 550/600/650/700mA LED spots / LED fittings.

Complies with standard EN61347-1 and any other specific standards.



Downloads



Dimensions




Physical Specification

Item Group	23 LED Drivers
Family	The TRIAC Dimmable Constant Current
Order Code	89030UT
Material	Plastic
Shape	Rectangular
Length	117mm
Width	46mm
Height	31mm
Indoor	Yes

Electrical Characteristics

## Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	Refer to Table
Power Factor	0,9
Constant Current	Yes
550mA	25-40V
600mA	25-40V
650mA	25-40V
700mA	25-40V
IP Rating	IP20
Safety Class	
Dimmable	Yes
Dimmer type	Triac
Ambient Temp	50°C
Operating Temp	90°C
Housing Material	Plastic
Output Terminal	Cable
Brand	Lifud

## Packing Info

Box Weight	0,136Kg
Pcs/Carton	72
Barcode	5291889068778
HS Code	8504408290

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

